V

	Application No.	Applicant(s)
Alada a RAHa a Liid	10/047,564	KOIKE, NOBUYUKI
Notice of Allowability	Examiner	Art Unit
	Scott Au	2635
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) of NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIC of the Office or upon petition by the applicant. See 37 CFR 1.313	OR REMAINS) CLOSED in this or other appropriate communica GHTS. This application is subje	s application. If not included ation will be mailed in due course. THIS
1. This communication is responsive to <u>January 9, 2006</u> .		
2. 🔀 The allowed claim(s) is/are <u>2-4,14,16-18,28,30-32 and 42-4</u>	<u>18</u> .	
3. Acknowledgment is made of a claim for foreign priority und a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives to comply the Notice of Draftsperson (a) including changes required by the Notice of Draftsperson (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.8	been received. been received in Application Notuments have been received in a second of this communication to file a resent of this application. Ited. Note the attached EXAMINS reason(s) why the oath or decibe submitted. It is part of this application. It is a submitted on's Patent Drawing Review (Patent Drawing Revi	this national stage application from the eply complying with the requirements NER'S AMENDMENT or NOTICE OF claration is deficient. PTO-948) attached the Office action of eawings in the front (not the back) of
each sheet. Replacement sheet(s) should be labeled as such in the common of the deposed in the d	it of BIOLOGICAL MATERIA	AL must be submitted. Note the
	•	•
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Inform	nal Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summ	,, , , , ,
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 05,07,10, 2005 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. 🗌 Examiner's Stat	
· · · · · · · · · · · · · · · · · · ·	9. Other	
	•	

Art Unit: 2635

Allowable Subject Matter

This communication is in response to applicant's Amendment which filed January 9, 2006 in the application of Koike for a "Key information issuing device" filed August 31, 2001.

The amendment has been entered and made of record.

Claims 1,5-13,15,19-27,29, and 33-41 are cancelled.

Claims 2-4,14,16-18,28,30-32 and 42-48 are allowed as evident by applicant's amendment.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferable accompany the issue fee. Such submission should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications form the examiner should be directed to Scott Au whose telephone number is (571) 272-3063. The examiner can normally be reached on Mon-Fri, 8:30AM – 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Horabik can be reached at (571) 272-3068. The fax phone numbers for the organization where this application or proceeding is assigned are (571)-273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)-305-3900.

Scott Au
3/16/06

SUPERVISORY\PATENT EXAMINER

TECHNOLOGY CENTER 2600